

FULL CATEGORY MULTIFUNCTIONAL DISPENSING MACHINE





PRODUCT INTRODUCTION



FULL CATEGORY MULTIFUNCTIONAL DISPENSING MACHINE


This device is a fully automatic and multifunctional dispensing machine that integrates functions such as storage, labeling, bagging, and packaging. Capacity with blister, box, vials&oules full category medication. It is mainly used in hospital pharmacies, clinics, retail pharmacies etc

■ FEATURES



Equipped with industrial-grade robots with different grippers

Suction cups or grippers available to suit various drugs in boxes, blister, ampoules and vials, bottles package.



Blister bagging&labeling

Can bag and seal blister drugs, and label on the blister bag.



Package entire order

Can bag and package the entire prescription of drugs, and label on the package



3D Recognition

Automatically verifies the position and quantity each time through 3D recognition.



Refrigerator module

Can equip with a refrigerator module (2–8°C).

Equipment type:
DF-2U-LC-DB
DF-4U-LC-DB

Machine Size	4432mm*2428mm*2739mm	6894mm*2778mm*2739mm
Cold storage function	✓	✓
Drug type	Bottled medicine, tablet medicine, boxed medicine	Bottled medicine, tablet medicine, boxed medicine
Drug box size	370mm*168mm*72mm (4.4L)	370mm*168mm*72mm (4.4L)
Drug box maximum weight	≤6kg	≤6kg
Dispensing speed	Nd≤60Prescription/h	Nd≤60Prescription/h
Labeling speed	Nd≤120个/h	Nd≤120个/h
Bagging speed	Nd≤80bag/h	Nd≤80bag/h
Packaging speed	Nd≤60package/h	Nd≤60package/h
Machine weight(no-load)	Approx. 1500Kg	Approx. 2500Kg
Rated power	2.5KW	2.5KW
Machine noise	≤60dB	≤60dB
Security configuration	Electronic lock, open door stop	Electronic lock, open door stop
Number of dispensing ports	1	1
Number of refilling ports	3	3
Air source (compressor)	Standard configuration	Standard configuration
QR code scanner	Standard configuration	Standard configuration
Touch screen	Standard configuration	Standard configuration
Automatic weighing	Standard configuration	Standard configuration
Card reader recognition	Standard configuration	Standard configuration
Power demand	11KW, AC220V, 50Hz	11KW, AC220V, 50Hz
Communication interface	2*RJ-45 WiFi-4G	2*RJ-45 WiFi-4G
Venue requirements	6000mm*4000mm*2850mm(H), 280Kg/m ²	9000mm*4000mm*2850mm(H), 280Kg/m ²


Telephone : LEO : 0086-13391039052 ; GINA : 0086-18770083375

E-mail : info@g-healthy.com

Website : www.g-healthy.com

Address : No.518, Zhongchen Road, Songjiang District, Shanghai, China