

AUTOMATED OUTPATIENT PHARMACY-DM





PRODUCT INTRODUCTION




■ AUTOMATED OUTPATIENT PHARMACY-DM

Taking the intelligent cabinet management method as the core, using the Internet of Things technology, combined with the software system to receive doctor's advice in real time, to realize the distributed storage of drugs in the hospital. Due to the use of a robotic suction cup for dispensing and image recognition function, all medications can be dispensed before expiration, ensuring that the medication can be dispensed according to First Expiration First Out (FEFO) the maximum extent possible and avoiding waste.

FEATURES

- DM dispenses blister drugs and bottled drugs;
- Build-in refrigerator;
- The dispensing speed can reach 1000 boxes (bottles)/hour;
- Unmanned fully automatic medication refilling;
The refilling speed can reach 450 boxes/hour;
- The single machine storage capacity can reach 5000–10000 boxes (bottles);
- The robotic arm dispenses medication and uploads photos for pharmacist review, ensuring 100% accuracy and error free dispensing.



Automatic dispensing machine Model: **DM-LD5-2500**
DM-LD5-2800

Machine Size	3586mm*2522mm*2505mm	3586mm*2522mm*2805mm
Number of drug storage units	1	1
Drug box size (L*W*H)	50mm≤L≤160mm	50mm≤L≤160mm
	23mm≤W≤112mm	23mm≤W≤112mm
	15mm≤H≤105mm	15mm≤H≤105mm
Maximum weight per box	250g	250g
Refilling speed	≤450pcs/h	≤450pcs/h
Dispensing speed	≤1000pcs/h	≤1000pcs/h
Net weight of equipment	About 1650Kg	About 1810Kg
Equipment noise	≤60dB	≤60dB
Security configuration	Electronic lock, open door stop	Electronic lock, open door stop
Number of dispensers	1	1
Inventory function/Manual tonic/ Real-time delivery belt/Left (right) spiral/Self-service terminal /Batch delivery	Selectable	Selectable
Drug storage capacity		
Total capacity	About 6435pcs	About 7645pcs
Number of cabinets	5	5
Number of storage tanks	About 1287pcs	About 1529pcs
Effective length of tank	510mm	510mm
Customer configuration		
Power demand	8KW, 380VAC/3P, 50Hz	8KW, 380VAC/3P, 50Hz
Communication interface	2*RJ-45	2*RJ-45
Area demand	5186mm*4822mm*2600mm(H), 250Kg/m ²	5186mm*4822mm*2900m(H), 280Kg/m ²



Telephone : LEO : 0086-13391039052 ; GINA : 0086-18770083375

E-mail : info@g-healthy.com

Website : www.g-healthy.com

Address : No.518, Zhongchen Road, Songjiang District, Shanghai, China